## Returning To SMPH – Connecting your devices

The exact monitor model, cables, and docking station may not match the pictures. It may be helpful to take a picture of your working home setup to reference how the cables are connected.

Connecting Monitors

Power – *Plug into wall outlet*

HDMI Input
Plug into back of desktop if no DisplayPort (DP)

DisplayPort (DP)
Plug into back of desktop if no HDMI

USB 2.0 *Plug into back of desktop (USB hub)*

Connecting Monitors to Dell Desktop

Speaker or Headphone input

HDMI *from monitor*

DisplayPort (DP) *from monitor(s)*

USB inputs from
Mouse,
Keyboard and
USB hub from monitor

Network *from phone or wall data jack*

Power - *plugs into wall outlet*

Connecting Monitors to Dell Docking Station

USB inputs from
Mouse,
Keyboard and
USB hub from monitor

Speaker or Headphone input

Network *from phone or wall data jack*

DisplayPort (DP) *from Monitor(s)*

HDMI *from Monitor*

Power adapter *plugs into wall outlet*

Adapter for USB-3 port
For use on older model laptops that do not have USB-C

USB-C to laptop

Connecting Monitor to Dell Laptop (no docking station)

Power – *Plug into wall outlet*

HDMI Input - *Plug into side of Laptop*

USB 2.0 - *Plug into side of laptop*

HDMI Input - *from monitor*

USB Input - *from monitor*

Connecting your VoIP Phone

Jacks located on the back, underside of the phone

AC Power – *to wall*

Ethernet – *from wall*

Ethernet – *To desktop computer or Dock*

This device complies with Part 15 of the FCC Rules. Operation is subject to the following