Configure ODBC Data Source Administrator (64-bit) for SMPH HR

Search the Start Menu for "ODBC Data Sources (64-bit)" and open the App.

All Apps	Documents	Settings	Photos
Best match			
ODBC D	ata Sources (6	i4-bit)	
Apps			
S ODBC Data	a Sources (32-	bit)	>
Documents (2+)			
Folders (13+)			
,∽ odbc			
Ħ 🔒			

- In the "ODBC Data Source Administrator (64-bit)" window.
 - Click the Add... button.

ODBC Data So	urce Administr	ator (64-bi	:)						×
ser DSN System	DSN File DSI	N Drivers	Tracing	Connection	Pooling	About			
User Data Source	s:								
Name	Platform	Driver					Add		
Excel Files MS Access Data	64-bit abase 64-bit	Microsoft (Microsoft /	Excel Drive Access Dri	er (* xls, * xlsx ver (* mdb, * .	, *.xlsm, * accdb)	.xlsb)	Remo	ove	
							Config	ure	
<						>			
An OE User d	DBC User data so lata source is on	urce stores y visible to y	information You and ca	n about how t in only be use	o connec ed on this	ct to the comput	indicated data p ter.	orovider. A	
				ОК	Can	cel	Apply	Help	

Select Oracle in instantclient_21_3)x64, then click Finish

Create New Data Source		×
	Select a driver for which you want to set up a data Name Microsoft Access Driver (*.mdb, *.accdb) Microsoft Access Text Driver (*.txt, *.csv) Microsoft Excel Driver (*.xls, *.xlsx, *.xlsm, *.xlsb) Oracle in instantclient_21_3_x64 SQL Server	source. Version 16.00.14 16.00.14 16.00.14 21.00.00 10.00.15
	< sack Finish	> Cancel

- In the "Oracle ODBC Driver Configuration" window, choose the following:
 - Data Source Name:
 - Enter a name for the Data Source (EPM,adware, or INFOACCESS)
 - TNS Service Name:
 - Choose (EPM,adware, or INFOACCESS) from the drop down menu.
 - User ID:
 - Add the username, otherwise it will need to be typed in manually when trying to access the database.

Oracle ODBC Driver Configu	uration
Data Source Name	ЕРМ ОК
Description	Cancel
TNS Service Name	EPM V Help
User ID	bbadger Test Connection
Application Oracle Worl Enable Result Sets Enable Closing Cursors Batch Autocommit Mode Numeric Settings	karounds SQLServer Migration Enable Query Timeout Read-Only Connection Enable Thread Safety Image: Commit only if all statements succeed Commit only if all statements succeed V Use Oracle NLS settings V

- Click OK
- Follow the same steps for adding each source (adware, INFOACCESS).

(j)

Related articles

Configure ODBC Data Source Administrator (64-bit) for SMPH HR